

a central processing unit (CPU) coupled to the bus running an operating system and at least one power-unaware application, wherein the operating system has a virtual device driver performing device idle detection 60 using one or more events timers indicating the activity level of at least one local device, and further wherein the virtual device driver places idle local devices in a reduced power consumption state when associated events timers indicate that no activity has occurred for 65 a predetermined period of time transparent to said at least one power-unaware application.

13. The computer system defined in claim 11 wherein the virtual device driver comprises I/O trapping capabilities to perform idle detection.

10 15. The computer system defined in claim 11 wherein the virtual device driver comprises a chained-interrupt trap handler to perform idle detection.

15 17. The computer system defined in claim 11 wherein the memory stores data structures indicating events being monitored by the virtual device driver.

19. The computer system defined in claim 11 wherein the memory stores data structures indicating activity level of local devices to the virtual device driver.

21. A computer system comprising:  
at least one bus;

a processor coupled to said at least one bus, wherein the processor is configured to execute a virtual device driver to control placement of said device into a reduced power consumption state.

23. The computer system defined in claim 21 wherein the  
virtual device driver performs idle detection for the device  
using at least one event timer indicating the activity level of  
the device.

25. The computer system defined in claim 21 wherein the processor runs at least one power-unaware application and the virtual device driver places the device in the reduced power consumption state transparent to said at least one power-unaware application.

27. The computer system defined in claim 21 wherein the virtual device driver comprises a VxD trap handler to perform idle detection.

29. A method for controlling an input/output (I/O) device, said method comprising the steps of:

executing a virtual device driver;  
monitoring activity of the I/O device;

the virtual device driver placing the I/O device in a reduced power consumption state in response to the I/O device being detected as inactive.

30. The method defined in claim 29 further comprising the step of initializing, at boot-up time, a plurality of data structures associated with the virtual device driver.

31. The method defined in claim 29 wherein the step of monitoring comprises the virtual device driver monitoring activity of the I/O device at the occurrence of a system timer interrupt.

32. The method defined in claim 29 further comprising the step of varying the predetermined period of time.

**Case 1**      **Case 2**      **Case 3**      **Case 4**      **Case 5**      **Case 6**      **Case 7**      **Case 8**      **Case 9**      **Case 10**      **Case 11**      **Case 12**      **Case 13**      **Case 14**      **Case 15**      **Case 16**      **Case 17**      **Case 18**      **Case 19**      **Case 20**      **Case 21**      **Case 22**      **Case 23**      **Case 24**      **Case 25**      **Case 26**      **Case 27**      **Case 28**      **Case 29**      **Case 30**      **Case 31**      **Case 32**      **Case 33**      **Case 34**      **Case 35**      **Case 36**      **Case 37**      **Case 38**      **Case 39**      **Case 40**      **Case 41**      **Case 42**      **Case 43**      **Case 44**      **Case 45**      **Case 46**      **Case 47**      **Case 48**      **Case 49**      **Case 50**      **Case 51**      **Case 52**      **Case 53**      **Case 54**      **Case 55**      **Case 56**      **Case 57**      **Case 58**      **Case 59**      **Case 60**      **Case 61**      **Case 62**      **Case 63**      **Case 64**      **Case 65**      **Case 66**      **Case 67**      **Case 68**      **Case 69**      **Case 70**      **Case 71**      **Case 72**      **Case 73**      **Case 74**      **Case 75**      **Case 76**      **Case 77**      **Case 78**      **Case 79**      **Case 80**      **Case 81**      **Case 82**      **Case 83**      **Case 84**      **Case 85**      **Case 86**      **Case 87**      **Case 88**      **Case 89**      **Case 90**      **Case 91**      **Case 92**      **Case 93**      **Case 94**      **Case 95**      **Case 96**      **Case 97**      **Case 98**      **Case 99**      **Case 100**      **Case 101**      **Case 102**      **Case 103**      **Case 104**      **Case 105**      **Case 106**      **Case 107**      **Case 108**      **Case 109**      **Case 110**      **Case 111**      **Case 112**      **Case 113**      **Case 114**      **Case 115**      **Case 116**      **Case 117**      **Case 118**      **Case 119**      **Case 120**      **Case 121**      **Case 122**      **Case 123**      **Case 124**      **Case 125**      **Case 126**      **Case 127**      **Case 128**      **Case 129**      **Case 130**      **Case 131**      **Case 132**      **Case 133**      **Case 134**      **Case 135**      **Case 136**      **Case 137**      **Case 138**      **Case 139**      **Case 140**      **Case 141**      **Case 142**      **Case 143**      **Case 144**      **Case 145**      **Case 146**      **Case 147**      **Case 148**      **Case 149**      **Case 150**      **Case 151**      **Case 152**      **Case 153**      **Case 154**      **Case 155**      **Case 156**      **Case 157**      **Case 158**      **Case 159**      **Case 160**      **Case 161**      **Case 162**      **Case 163**      **Case 164**      **Case 165**      **Case 166**      **Case 167**      **Case 168**      **Case 169**      **Case 170**      **Case 171**      **Case 172**      **Case 173**      **Case 174**      **Case 175**      **Case 176**      **Case 177**      **Case 178**      **Case 179**      **Case 180**      **Case 181**      **Case 182**      **Case 183**      **Case 184**      **Case 185**      **Case 186**      **Case 187**      **Case 188**      **Case 189**      **Case 190**      **Case 191**      **Case 192**      **Case 193**      **Case 194**      **Case 195**      **Case 196**      **Case 197**      **Case 198**      **Case 199**      **Case 200**      **Case 201**      **Case 202**      **Case 203**      **Case 204**      **Case 205**      **Case 206**      **Case 207**      **Case 208**      **Case 209**      **Case 210**      **Case 211**      **Case 212**      **Case 213**      **Case 214**      **Case 215**      **Case 216**      **Case 217**      **Case 218**      **Case 219**      **Case 220**      **Case 221**      **Case 222**      **Case 223**      **Case 224**      **Case 225**      **Case 226**      **Case 227**      **Case 228**      **Case 229**      **Case 230**      **Case 231**      **Case 232**      **Case 233**      **Case 234**      **Case 235**      **Case 236**      **Case 237**      **Case 238**      **Case 239**      **Case 240**      **Case 241**      **Case 242**      **Case 243**      **Case 244**      **Case 245**      **Case 246**      **Case 247**      **Case 248**      **Case 249**      **Case 250**      **Case 251**      **Case 252**      **Case 253**      **Case 254**      **Case 255**      **Case 256**      **Case 257**      **Case 258**      **Case 259**      **Case 260**      **Case 261**      **Case 262**      **Case 263**      **Case 264**      **Case 265**      **Case 266**      **Case 267**      **Case 268**      **Case 269**      **Case 270**      **Case 271**      **Case 272**      **Case 273**      **Case 274**      **Case 275**      **Case 276**      **Case 277**      **Case 278**      **Case 279**      **Case 280**      **Case 281**      **Case 282**      **Case 283**      **Case 284**      **Case 285**      **Case 286**      **Case 287**      **Case 288**      **Case 289**      **Case 290**      **Case 291**      **Case 292**      **Case 293**      **Case 294**      **Case 295**      **Case 296**      **Case 297**      **Case 298**      **Case 299**      **Case 300**      **Case 301**      **Case 302**      **Case 303**      **Case 304**      **Case 305**      **Case 306**      **Case 307**      **Case 308**      **Case 309**      **Case 310**      **Case 311**      **Case 312**      **Case 313**      **Case 314**      **Case 315**      **Case 316**      **Case 317**      **Case 318**      **Case 319**      **Case 320**      **Case 321**      **Case 322**      **Case 323**      **Case**

33. The method defined in claim 32 wherein the predetermined period of time is varied based on desired power savings.

5 34. The method defined in claim 29 further comprising the step of the virtual device driver adjusting an events timer according to activity of the device.

35. The method defined in claim 29 further comprising the steps of:

10 a configuration manager notifying the virtual device driver of system resources being remapped; and  
the virtual device driver examining its data structures to adapt itself to the remapped system resources.

\* \* \* \* \*

36. An article comprising a plurality of computer instructions, which when executed by a computer system, causes the computer system to perform the steps of:

monitoring activity of a device;

detecting the device being inactive for a predetermined period of time;

placing the device in a reduced power consumption state in response to the device being detected as inactive; and

managing said device to allow more than one application to use the device.

37. The article of claim 36, wherein the plurality of instructions is a device driver.

38. The article of claim 37, wherein the device is an Input/Output device.

39. The article of claim 38, wherein execution of the plurality of instructions, causes the computer system to further perform the steps of:

checking a status of an event timer at regular intervals.

40. The article of claim 39, wherein the plurality of instructions includes at least one idle timer.

41. A method for managing devices within a computer system, said method comprising of:

monitoring activity of a device;

detecting the device being inactive for a predetermined period of time;

placing the device in a reduced power consumption state in response to the device being detected as inactive; and

managing the device to allow more than one application to use the device.

42. The method of claim 41, wherein the method is performed by a device driver.
43. The method of claim 42, wherein the device is an Input/Output device.
44. The method of claim 43, wherein the method further includes the step of:  
checking a status of an event timer at regular intervals.
45. The method of claim 44, wherein the device driver includes at least one idle timer.
46. A computer system comprising:  
a bus;  
a memory coupled to the bus;  
a first device coupled to the bus;  
a processor coupled to the bus; and  
a second device having stored thereon a set of instructions, which when executed by said processors, manage the first device to allow more than one application to use the first device, and monitor activity of the first device, and in response to said first device being inactive for a predetermined period of time, place the first device in a reduced power consumption state.
47. The computer system of claim 46, wherein the set of instructions stored on the second device is a device driver.
48. The computer system of claim 47, wherein the first device is an Input/Output device.
49. The computer system of claim 48, wherein the device driver checks a status of an event timer at regular intervals.
50. The computer system of claim 49, wherein the device driver includes at least one idle timer.

add  
A1

2025-03-26 14:26:00